



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/527,310	11/28/2005	Karin Hamsen	10191/3707	9585
26646 7590 04/07/2008 KENYON & KENYON LLP ONE BROADWAY NEW YORK, NY 10004				
EXAMINER				
GOODWIN, DAVID J				
ART UNIT		PAPER NUMBER		
2818				
MAIL DATE		DELIVERY MODE		
04/07/2008		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

**DETAILED ACTION**

***Response to Arguments***

***Response to Arguments***

1. Applicant's arguments filed 3/3/08 have been fully considered but they are not persuasive.
2. The applicant argues that the prior art does not teach that the stepped wire and the press fit base form a housing.
3. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).
4. As the applicant can see in Fig 2 of Le the head of the wire is housed in the press fit base. Further, Le in combination with Terasaki teaches that the encapsulant is surrounded by the press fit base and the stepped portion of the wire. The combination of which form a housing, the benefits of which flow naturally from the combination.
5. In response to applicant's argument that less epoxy is used, the fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985).

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID GOODWIN whose telephone number is (571)272-8451. The examiner can normally be reached on Monday through Friday, 9:00am through 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Loke can be reached on (571)272-1657. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DJG

/Steven Loke/  
Supervisory Patent Examiner, Art Unit 2818